

CONTENTS

■ SPECTROSCOPIC METHODOLOGY

Full Paper

- Spectral Localization by Imaging Using
Multielement Receiver Coils, Li An, Steven Warach,
and Jun Shen 1
Published online 1 February 2011

■ PRECLINICAL AND CLINICAL SPECTROSCOPY

Communication

- Determination of Regional Variations and
Reproducibility in In Vivo ^1H NMR Spectroscopy
of the Rat Brain at 16.4 T, Sung-Tak Hong,
David Z. Balla, and Rolf Pohmann 11
Published online 20 May 2011

Note

- Detection of Tumor Glutamate Metabolism In Vivo
Using ^{13}C Magnetic Resonance Spectroscopy and
Hyperpolarized [1- ^{13}C]glutamate, Ferdia A. Gallagher,
Mikko I. Kettunen, Sam E. Day, De-en Hu,
Magnus Karlsson, Anna Gisselsson, Mathilde H. Lerche,
and Kevin M. Brindle 18
Published online 17 February 2011

■ IMAGING METHODOLOGY

Communications

- Origins of the Ultrashort- T_2 ^1H NMR Signals in
Myelinated Nerve: A Direct Measure of Myelin
Content?, R. Adam Horch, John C. Gore,
and Mark D. Does 24
Published online 13 May 2011

Fast Whole-Body Magnetic Resonance

- Angiography in Mice, William Lefrançois,
Eric Thiaudière, Wadie Ben Hassen, Stéphane
Sanchez, Jean-Michel Franconi, and
Sylvain Miraux 32
Published online 16 May 2011

Full Papers

- Inflow-Based Vascular-Space-Occupancy (iVASO)
MRI, Jun Hua, Qin Qin, Manus J. Donahue,
Jinyuan Zhou, James J. Pekar, and
Peter C. M. van Zijl 40
Published online 24 February 2011

- Quantitative Cerebral Blood Flow in Dynamic
Susceptibility Contrast MRI Using Total Cerebral
Flow from Phase Contrast Magnetic Resonance
Angiography, David Bonekamp,
Mahaveer Degaonkar, and Peter B. Barker 57
Published online 1 February 2011

- In Vivo Detection of MRI-PARACEST Agents in
Mouse Brain Tumors at 9.4 T, Alex X. Li,
Mojmir Suchy, Chunhui Li, Joseph S. Gati,
Susan Meakin, Robert H. E. Hudson,
Ravi S. Menon, and Robert Bartha 67
Published online 19 January 2011

- Echo-Planar Imaging With Prospective Slice-by-
Slice Motion Correction Using Active
Markers, Melvyn B. Ooi, Sascha Krueger,
Jordan Muraskin, William J. Thomas, and
Truman R. Brown 73
Published online 24 February 2011

- Contrast-Enhanced Whole-Heart Coronary
Magnetic Resonance Angiography at 3 T with
Radial EPI, Himanshu Bhat, Qi Yang,
Sven Zuehlsdorff, Kuncheng Li, and
Debiao Li 82
Published online 8 February 2011

- Preterm Neonatal Diffusion Processing Using
Detection and Replacement of Outliers Prior to
Resampling, Drew Morris, Revital Nossin-Manor,
Margot J Taylor, and John G. Sled 92
Published online 8 February 2011

- Spectrally Selective Pencil-Beam Navigator for
Motion Compensation of MR-Guided High-Intensity
Focused Ultrasound Therapy of Abdominal
Organs, Max O. Köhler, Baudouin Denis de Senneville,
Bruno Quesson, Chrit T.W. Moonen, and
Mario Ries 102
Published online 8 February 2011

- Combining Two-Dimensional Spatially Selective RF
Excitation, Parallel Imaging, and UNFOLD for
Accelerated MR Thermometry Imaging,
Chang-Sheng Mei, Lawrence P. Panych, Jing Yuan,
Nathan J. McDannold, Lisa H. Treat, Yun Jing,
and Bruno Madore 112
Published online 17 February 2011

- Outer Volume Suppression in Steady State
Sequences (OVSuSS) for Percutaneous
Interventions, Jaane Rauschenberg, Axel J. Krafft,
Florian Maier, Patrik Zamecník, Wolfhard Semmler,
and Michael Bock 123
Published online 17 February 2011

- Head Motion Detection Using FID
Navigators, Tobias Kober, José P. Marques,
Rolf Gruetter, and Gunnar Krueger 135
Published online 17 February 2011

CONTENTS

Concurrent MR Blood Volume and Vessel Size Estimation in Tumors by Robust and Simultaneous ΔR_2 and ΔR_2^* Quantification, Stefanie Remmeli, Janine Ring, Julien Sénégas, Walter Heindel, Rolf M. Mesters, Christoph Bremer, and Thorsten Persigehl..... 144
Published online 8 February 2011

Diffusion Imaging With Prospective Motion Correction and Reacquisition, Thomas Benner, André J. W. van der Kouwe, and A. Gregory Sorenson..... 154
Published online 24 February 2011

Notes
3D GRASE PROPELLER: Improved Image Acquisition Technique for Arterial Spin Labeling Perfusion Imaging, Huan Tan, W. Scott Hoge, Craig A. Hamilton, Matthias Günther, and Robert A. Kraft 168
Published online 19 January 2011

Real-Time Motion Correction for High-Resolution Larynx Imaging, JoŠile K. Barral, Juan M. Santos, Edward J. Damrose, Nancy J. Fischbein, and Dwight G. Nishimura 174
Published online 24 February 2011

Pulmonary Vein Inflow Artifact Reduction for Free-Breathing Left Atrium Late Gadolinium Enhancement, Mehdi H. Moghari, Dana C. Peters, Jouke Smink, Lois Goepfert, Kraig V. Kissinger, Beth Goddu, Thomas H. Hauser, Mark E. Josephson, Warren J. Manning, and Reza Nezafat 180
Published online 28 February 2011

On the Mechanisms Enabling Myocardial Edema Contrast in bSSFP-Based Imaging Approaches, Xiangzhi Zhou, Veronica Rundell, Ying Liu, Richard Tang, Saurabh Shah, Sven Zuehlsdorff, Debiao Li, and Rohan Dharmakumar 187
Published online 9 March 2011

Temporal Filtering Effects in Dynamic Parallel MRI, Martin Blaimer, Irene P. Ponce, Felix A. Breuer, Peter M. Jakob, Mark A. Griswold, and Peter Kellman 192
Published online 17 February 2011

Combination of Complex-Based and Magnitude-Based Multiecho Water-Fat Separation for Accurate Quantification of Fat-Fraction, Huanzhou Yu, Ann Shimakawa, Catherine D. G. Hines, Charles A. McKenzie, Gavin Hamilton, Claude B. Sirlin, Jean H. Brittain, and Scott B. Reeder 199
Published online 24 February 2011

Respiratory Self-Gated Multiple Gradient Recalled Echo Sequence for Free-Breathing Abdominal R_2^* Mapping, Ning Jin, Zhuoli Zhang, Longjiang Zhang, Guangming Lu, and Andrew C. Larson..... 207
Published online 24 February 2011

■ PRECLINICAL AND CLINICAL IMAGING

Full Papers
Enhancement Effects of Hepatic Dynamic MR Imaging at 3.0 T and 1.5 T Using Gadoxetic Acid in a Phantom Study: Comparison with Gadopentetate Dimeglumine, Kosuke Morita, Tomohiro Namimoto, Kazuo Awai, Masanori Komi, Masahiro Hashida, Takashi Tsuji, Toshinori Hirai, and Yasuyuki Yamashita..... 213
Published online 19 January 2011

Comparison of Dynamic Contrast-Enhanced MRI and Dynamic Contrast-Enhanced CT Biomarkers in Bladder Cancer, J. H. Naish, D. M. McGrath, L. J. Bains, K. Passera, C. Roberts, Y. Watson, S. Cheung, M. B. Taylor, J. P. Logue, D. L. Buckley, J. Tessier, H. Young, J. C. Waterton, and G. J. M. Parker 219
Published online 24 March 2011

Investigating Temporal Fluctuations in Tumor Vasculature With Combined Carbogen and Ultrasmall Superparamagnetic Iron Oxide Particle (CUSPIO) Imaging, Jake S. Burrell, Simon Walker-Samuel, Lauren C. J. Baker, Jessica K. R. Boult, Anderson J. Ryan, John C. Waterton, Jane Halliday, and Simon P. Robinson 227
Published online 8 February 2011

Quantitative Analysis of Intravenously Administered Contrast Media Reveals Changes in Vascular Barrier Functions in a Murine Colitis Model, Tegest Aychek, Katrien Vandoorne, Ori Brenner, Steffen Jung, and Michal Neeman..... 235
Published online 19 January 2011

Notes
16 T Diffusion Microimaging of Fixed Prostate Tissue: Preliminary Findings, Roger Bourne, Nyoman Kurniawan, Gary Cowin, Paul Sved, and Geoff Watson 244
Published online 8 February 2011

Comparison of Lung T_2^* During Free-Breathing at 1.5 T and 3.0 T with Ultrashort Echo Time Imaging, Jiangsheng Yu, Yiqun Xue, and Hee Kwon Song 248
Published online 24 February 2011

■ BIOPHYSICS AND BASIC BIOMEDICAL RESEARCH

Full Paper
Radiofrequency Heating in Porcine Models with a "Large" 32 cm Internal Diameter, 7 T (296 MHz) Head Coil, Devashish Shrivastava, Timothy Hanson, Jeramy Kulesa, Jinfeng Tian, Gregor Adriany, and J. Thomas Vaughan..... 255
Published online 17 February 2011

CONTENTS

Note

- Quantitative Magnetization Transfer Studies of Apoptotic Cell Death,** Colleen Bailey, Kimberly L. Desmond, Gregory J. Czarnota, and Greg J. Stanisz..... 264
Published online 17 February 2011

Traveling-Wave RF Shimming and Parallel

- MRI,** David O. Brunner, Jan Paška, Juerg Froehlich, and Klaas P. Pruessmann..... 290
Published online 24 February 2011

Note

- First Image from a Combined Positron Emission Tomography and Field-Cycled MRI System,** Geron A. Bindseil, Kyle M. Gilbert, Timothy J. Scholl, William B. Handler, and Blaine A. Chronik..... 301
Published online 1 February 2011

■ HARDWARE AND INSTRUMENTATION

Full Papers

- Microstrip Butler Matrix Design and Realization for 7 T MRI,** Pedram Yazdanbakhsh and Klaus Solbach 270
Published online 28 February 2011

Custom-Fitted 16-Channel Bilateral Breast Coil for Bidirectional Parallel Imaging,

- Anderson N. Nnewihe, Thomas Grafendorfer, Bruce L. Daniel, Paul Calderon, Marcus T. Alley, Fraser Robb, and Brian A. Hargreaves 281
Published online 1 February 2011